The participants listed below have been evaluated by the United States Department of Agriculture, Agriculture Marketing Service, and have been found to be in conformance with the Requirements of USDA AMS Domestic Peanut Aflatoxin Program.

Web Site: http://www.ams.usda.gov/AMSv1.0/TSBPeanutProgram

Company	Approval Detail	Annual Approval Valid Through	Note
ADVANCED PRECISION LABORATORIES LLC 1441 Shingler-Little River Road	Aflatoxin - immunoaffinity column with direct solution fluorometry	12/31/2014	
Sumner, GA 31789			
Linda Moore, Ph. D.			
Director of Analytical Services			
Phone: 229 776 1075			
Fax:			
e-mail: <u>linda.moore@aciseeds.com</u>			
ALABAMA FEDERAL STATE INSPECTION SERVICE		12/31/2014	
1557 Reeves Street	direct solution fluorometry		
Dothan, AL 36303	Aflatoxin - thin-layer chromatography		
Doman, AL 30303			
Patrick Griffin			
State Supervisor			
Phone: 334 792 5185			
Fax: 334 671 7984			
e-mail: <u>dotagi1@centurytel.net</u>			
EMSL Analytical INC	Aflatoxin - immunoaffinity column with	12/31/2014	
2500 Gateway Centre Blvd	direct solution fluorometry		
Morrisville, NC 27560			
Alan Goldstein, Ph.D.			
Microbiology Laboratory Manager & QA Specialist			
Phone: 919 465 3900			
Fax: 919 465 3950			
e-mail: <u>Agoldstein@EMSL.com</u>			

Company	Approval Detail	Annual Approval Valid Through	Note
IEH QUANTA LABORATORY 9330 Corporate Drive, Suite 703	Aflatoxin - immunoaffinity column with direct solution fluorometry	12/31/2014	
Selma, TX 78154			
Emmanuel Casasola VP of Laboratory Services Phone: 210 651 5799 Fax: 210 651 9271 e-mail: ecasasola@quantalab.com			
JLA INTERNATIONAL ALBANY 3016 Kensington Court	Aflatoxin - immunoaffinity column with direct solution fluorometry Aflatoxin - liquid chromatography	12/31/2014	
Albany, GA 31721	, material inquite sincing agrapmy		
Pam Cochran Regional Manager Phone: 229 405 6744 Fax: 229 405 6753 e-mail: pamcochran@jlaglobal.com			
JLA INTERNATIONAL ASHBURN	Aflatoxin - immunoaffinity column with	12/31/2014	
139 South Lee Street Ashburn, GA 31714	direct solution fluorometry		
Pam Cochran Regional Manager Phone: 229 567 3703 Fax: 229 567 8055 e-mail: pamcochran@jlaglobal.com			

Company	Approval Detail	Annual Approval Valid Through	Note
JLA INTERNATIONAL BLAKELY	Aflatoxin - immunoaffinity column with	12/31/2014	
284 North Main Street	direct solution fluorometry		
Blakely, GA 39823			
Lisa Kelley			
Regional Manager			
Phone: 229 723 9155			
Fax: 229 723 2908			
e-mail: <u>lisakelley@jlaglobal.com</u>			
JLA INTERNATIONAL BROWNFIELD	Aflatoxin - immunoaffinity column with	12/31/2014	
208 West Main Street	direct solution fluorometry		
Brownfield, TX 79316 Lisa Kelley			
Regional Manager			
Phone: 806 637 9598 Fax: 806 637 9408			
e-mail: lisakelley@jlaglobal.com			
JLA INTERNATIONAL DAWSON	Aflatoxin - immunoaffinity column with	12/31/2014	
908 Forrester Drive	direct solution fluorometry	12/31/2014	
300 i direster blive	direct solution ildolometry	¹	
Dawson, GA 39842			
Pam Cochran			
Regional Manager			
Phone: 229 995 3900			
Fax: 229 995 3901			
e-mail: <u>pamcochran@jlaglobal.com</u>			

Company	Approval Detail	Annual Approval Valid Through	Note
JLA INTERNATIONAL DeLEON	Aflatoxin - immunoaffinity column with	12/31/2014	
616 West Navarro Street	direct solution fluorometry		
DeLeon, TX 76444			
Lisa Kelley			
Regional Manager			
Phone: 254 893 3653			
Fax: 254 893 3640			
e-mail: <u>lisakelley@jlaglobal.com</u>			
JLA INTERNATIONAL EDENTON	Aflatoxin - immunoaffinity column with	12/31/2014	
145 Peanut Drive	direct solution fluorometry		
Edenton, NC 27932			
Tina Harrell			
Lab Coordinator			
Phone: 252 482 4456			
Fax: 252 482 5370			
e-mail: <u>tinaharrell@jlaglobal.com</u>			
JLA INTERNATIONAL HEADLAND	Aflatoxin - immunoaffinity column with	12/31/2014	
107 East Railroad Street	direct solution fluorometry		
Headland, AL 36345			
Lisa Kelley			
Regional Manager			
Phone: 334 693 9320			
Fax: 334 693 0491			
e-mail: <u>lisakelley@jlaglobal.com</u>			

Company	Approval Detail	Annual Approval Valid Through	Note
JLA INTERNATIONAL MADILL 107 South 4th Street	Aflatoxin - immunoaffinity column with direct solution fluorometry	12/31/2014	
Madill, OK 73446			
Lisa Kelley Regional Manager Phone: 580 677 9476 Fax: 580 677 9489 e-mail: lisakelley@ilaglobal.com			
MARS CHOCOLATE NA ALBANY PLANT 1209 West Oakridge Drive	Aflatoxin - immunoaffinity column with direct solution fluorometry	12/31/2014	
Albany, GA 31701 Dana Clark Albany Quality & Food Safety Manager Phone: 229 434 8414 Fax: 229 434 4866 e-mail: dana.clark@effem.com			
SNYDER'S LANCE INC.	Aflatoxin - immunoaffinity column with	12/31/2014	
900 8th Street Columbus, GA 31901	direct solution fluorometry		
Adam Powell Microbiology & QA Supervisor Phone: 706 649 6350 Fax: 706 324 0628 e-mail: ajpowell@snyderslance.com			

Company	Approval Detail	Annual Approval Valid Through	Note
USDA AMS SCIENCE & TECHNOLOGY PROGRAM	Aflatoxin - immunoaffinity column with	12/31/2014	
NATIONAL SCIENCE LABORATORY at BLAKELY	direct solution fluorometry		
6567 Chancey Mill Road	Aflatoxin - liquid chromatography		
Blakely, GA 39823-2785	Aflatoxin - thin-layer chromatography		
Jana Humphries			
Lab Manager			
Phone: 229 723 4570			
Fax: 229 977 5593			
e-mail: jana.humphries@ams.usda.gov			
VA DEPT OF AGRICULTURE & CONSUMER SERVI	Aflatoxin - immunoaffinity column with	12/31/2014	
SUFFOLK AFLATOXIN LAB	direct solution fluorometry		
308 Culloden Street	Aflatoxin - thin-layer chromatography		
Suffolk, VA 23439-1130	, , , , , ,		
Lisa S. King			
Lab Supervisor			
Phone: 757 925 2286			
Fax: 757 925 2275			
e-mail: <u>lisa.king@vdacs.virginia.gov@ams.usda.go</u>	<mark>DV</mark>		